

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1706	tail adj current\$1	US-PGPUB; USPAT	OR	OFF	2004/12/15 08:42
L2	358	1 same (NMOS or (N adj (MOS or MOSFET or type or channel)))	US-PGPUB; USPAT	OR	OFF	2004/12/15 12:21
L3	126	2 and "327"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 08:43
L4	121	2 and "330"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 08:43
L5	22	2 and "323"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 08:43
L6	33	3 and (4 or 5)	US-PGPUB; USPAT	OR	OFF	2004/12/15 08:58
L7	93	3 not 6	US-PGPUB; USPAT	OR	OFF	2004/12/15 09:25
L8	95	4 not 6	US-PGPUB; USPAT	OR	OFF	2004/12/15 09:41
L9	14	5 not 6	US-PGPUB; USPAT	OR	OFF	2004/12/15 09:46
L10	126	2 not (3 or 4 or 5)	US-PGPUB; USPAT	OR	OFF	2004/12/15 09:57
L11	899	(bandgap or (band adj gap) or vbg or "v.sub.bg") with threshold\$1	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:01
L12	194	(bandgap or (band adj gap) or vbg or "v.sub.bg") with (vt or "v.sub.t" or vth or "v.sub.th" or vtn or "v.sub.tn")	US-PGPUB; USPAT	OR	OFF	2004/12/15 11:44
L13	194	(11 or 12) same (NMOS or (N adj (MOS or MOSFET or type or channel)))	US-PGPUB; USPAT	OR	OFF	2004/12/15 09:59
L15	27	13 and "327"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 10:25
L16	11	13 and "323"/\$.ccls. not 15	US-PGPUB; USPAT	OR	OFF	2004/12/15 10:31
L17	2	13 and "330"/\$.ccls. not (15 or 16)	US-PGPUB; USPAT	OR	OFF	2004/12/15 10:34
L18	154	13 not (15 or 16 or 17)	US-PGPUB; USPAT	OR	OFF	2004/12/15 10:34
L19	4	(vbgr or "v.sub.bgr") with threshold\$1	US-PGPUB; USPAT	OR	OFF	2004/12/15 10:44
L20	7	(vbgr or "v.sub.bgr") with (vt or "v.sub.t" or vth or "v.sub.th" or vtn or "v.sub.tn")	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:58
L21	60	(11 or 12 or 19 or 20) with (composit\$3 or combin\$5 or add\$5)	US-PGPUB; USPAT	OR	OFF	2004/12/15 11:05

L22	818	variation\$1 with temperature\$1 with fabrication	US-PGPUB; USPAT	OR	OFF	2004/12/15 11:34
L23	30	22 and (threshold near3 detect\$3)	US-PGPUB; USPAT	OR	OFF	2004/12/15 11:38
L24	1	22 and ((vt or "v.sub.t" or vth or "v.sub.th" or vtn or "v.sub.tn") near3 detect\$3)	US-PGPUB; USPAT	OR	OFF	2004/12/15 11:39
L25	31	23 or 24	US-PGPUB; USPAT	OR	OFF	2004/12/15 11:39
L26	7887	((reference or constant) adj voltage) with threshold\$1	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:01
L27	1770	((reference or constant) adj voltage) with (vt or "v.sub.t" or vth or "v.sub.th" or vtn or "v.sub.tn")	US-PGPUB; USPAT	OR	OFF	2004/12/15 11:44
L28	770	(vref or "v.sub.ref" or vconst or "v.sub.const") with (vt or "v.sub.t" or vth or "v.sub.th" or vtn or "v.sub.tn")	US-PGPUB; USPAT	OR	OFF	2004/12/15 11:45
L29	2234	(vref or "v.sub.ref" or vconst or "v.sub.const") with threshold\$1	US-PGPUB; USPAT	OR	OFF	2004/12/15 11:46
L30	10711	(11 or 12 or 19 or 23 or 26 or 27 or 28 or 29)	US-PGPUB; USPAT	OR	OFF	2004/12/15 12:20
L31	10683	(11 or 12 or 19 or 20 or 26 or 27 or 28 or 29)	US-PGPUB; USPAT	OR	OFF	2004/12/15 12:20
L32	1465	31 with (combin\$5 or compris\$3 or composit\$3 or add\$5 or plus)	US-PGPUB; USPAT	OR	OFF	2004/12/15 12:21
L33	1405	32 not 21	US-PGPUB; USPAT	OR	OFF	2004/12/15 12:21
L34	158	33 same (NMOS or (N adj (MOS or MOSFET or type or channel)))	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:45
L35	69	34 and "327"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 12:53
L36	8	34 and "323"/\$.ccls. not 35	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:00
L37	1	34 and "330"/\$.ccls. not (35 or 36)	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:01
L38	80	34 not (35 or 36 or 37)	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:01
L39	493	33 and (NMOS or (N adj (MOS or MOSFET or type or channel))) not 34	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:10
L40	3	22 and 39	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:10
L41	174	39 and "327"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:11
L42	65	39 and "323"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:11

L43	17	39 and "330"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:11
L44	32	41 and (42 or 43)	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:21
L45	48	(42 or 43) not 44	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:32
L46	142	41 not 44	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:33
L47	78	(NMOS or (N adj (MOS or MOSFET or type or channel))) with temperature with fabrication	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:58
L48	5266	(NMOS or (N adj (MOS or MOSFET or type or channel))) with mirror\$3	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:54
L49	3874	(NMOS or (N adj (MOS or MOSFET or type or channel))) with (diode near3 (configur\$5 or coupl\$3 or connect\$3))	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:58
L50	15249	(NMOS or (N adj (MOS or MOSFET or type or channel))) with threshold\$1	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:58
L51	5929	(NMOS or (N adj (MOS or MOSFET or type or channel))) with (vt or "v.sub.t" or vth or "v.sub.th" or vtn or "v.sub.tn")	US-PGPUB; USPAT	OR	OFF	2004/12/15 13:59
L52	575	(NMOS or (N adj (MOS or MOSFET or type or channel))) with (vthn or "v.sub.thn")	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:00
L53	390	48 and 49 and (50 or 51 or 52)	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:00
L54	289	53 and ((reference or constant) adj voltage)	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:42
L55	59	53 and (bandgap or (band adj gap) or vbg or "v.sub.bg")	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:42
L56	112	(54 or 55) and "327"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:02
L57	59	(54 or 55) and "323"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:02
L58	26	(54 or 55) and "330"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:02
L59	34	56 and (57 or 58)	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:12
L60	49	(57 or 58) not 59	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:17
L61	78	56 not 59	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:23
L62	0	"vtn + vbg"	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:24

L63	0	"vthn + vbg" or "vbg + vthn"	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:24
L64	1642	327/108.513,539,541,543,546.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:25
L65	2271	323/313,314,315,316.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:25
L66	1634	330/253,261.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:25
L67	882	(64 or 65 or 66) and (50 or 51 or 52)	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:26
L68	185	67 and 49	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:27
L69	289	67 and 48	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:27
L70	96	68 and 69	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:27
L71	618	67 and (((reference or constant) adj voltage) or vref or "v.sub.ref")	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:42
L72	162	67 and (bandgap or (band adj gap) or vbg or "v.sub.bg")	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:42
L73	74	(71 or 72) and 68 not 70	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:51
L74	137	(71 or 72) and 69 not 70	US-PGPUB; USPAT	OR	OFF	2004/12/15 14:51
L75	4979	(NMOS or (N adj (MOS or MOSFET or type or channel))) with (((reference or constant) adj voltage) or (vref or "v.sub.ref" or vconst or "v.sub.const"))	US-PGPUB; USPAT	OR	OFF	2004/12/15 15:00
L76	2217	(NMOS or (N adj (MOS or MOSFET or type or channel))) with (bandgap or (band adj gap) or vbg or "v.sub.bg" or vbgr or "v.sub.bgr")	US-PGPUB; USPAT	OR	OFF	2004/12/15 15:02
L77	318	49 same (75 or 76)	US-PGPUB; USPAT	OR	OFF	2004/12/15 15:02
L78	80	(64 or 65 or 66) and 77	US-PGPUB; USPAT	OR	OFF	2004/12/15 15:24
L79	5	77 and 1	US-PGPUB; USPAT	OR	OFF	2004/12/15 15:25
L80	135	77 and "327"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 15:25
L81	69	77 and "323"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 15:26
L82	13	77 and "330"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/15 15:26
L83	100	(80 or 81 or 82) not 78	US-PGPUB; USPAT	OR	OFF	2004/12/15 15:27